ELSEVIER

Neuroscience Letters 334 (2002) 214–217

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 334

Adachi, S., see Inoue-Murayama, M., 206
Ahangari, R., see Buchwald, B., 25
Ahn, J.-G., see Cho, J., 131
Ajubita, M., see Hedo, G., 41
Akaike, A., see Manabe, S.-i., 33
Alberts, G.L., see Chio, C.L., 49
Alberty, A., see Schiefer, J., 99
Altura, B.M., Gebrewold, A., Inhibitor of nuclear factor-Kappa B activation attenuates venular constriction, leukocyte rolling-adhesion and microvessel rupture induced by ethanol in intact rat brain microcirculation: relation to ethanol-induced brain injury, 21
Angel, E., see Milanés, M.V., 58
Aoki, K., see Fukushima, Y., 140
Aomine, M., see Obata, T., 211

Bahk, J.Y., see Li, S.P., 135
Bajo, M., see Yoo, B.C., 196
Bardenheuer, H.J., see Heiland, S., 157
Baxter, M.F., see Layne, C.S., 75
Belay, G., see Yoo, B.C., 196
Bellivier, F., Leroux, M., Henry, C., Rayah, F., Rouillon, F., Laplanche, J.-L., Leboyer, M., Serotonin transporter gene polymorphism influences age at onset in patients with bipolar affective disorder, 17
Buchwald, B., Ahangari, R., Toyka, K.V., Differential blocking effects of the monoclonal anti-GQ1b IgM antibody and alpha-latrotoxin in the absence of complement at the mouse neuromuscular junction, 25
Budhram-Mahadeo, V., Morris, P., Ndisang, D., Irshad, S., Lozano, G., Pedley, B., Latchman, D.S., The Brn-3a POU family transcription factor stimulates p53 gene expression in human and mouse tumour cells, 1
Buekers, M.J., see Chardenon, A., 13
Burlet, A., see Milanés, M.V., 58

Cairns, N., see Yoo, B.C., 196
Capulong, E., see Wagner, A.K., 165
Carroll, J.E., see Hoffman, W.H., 71
Castilho, R.F., see Friberg, H., 111
Cervera, A., Veciana, M., Valls-Solé, J., Sympathetic sudomotor skin responses induced by laser stimuli in normal human subjects, 115
Chardenon, A., Montagne, G., Buekers, M.J., Laurent, M., The visual control of ball interception during human locomotion, 13
Chen, Y., see Parker, M.W., 169
Cheng, C., see Hoffman, W.H., 71
Chio, C.L., Alberts, G.L., Im, W.B., Slightom, J.L., Gill, G.S., Discovery of a protein sequence in the N-terminal region of the human neuronal $\alpha 7$ nicotinic acetylcholine receptor involved in homomeric interactions, 49
Cho, J., Lee, S.-H., Seo, J.H., Kim, H.-S., Ahn, J.-G., Kim, S.-S., Yim, S.-V., Song, D.-K., Cho, S.S., Increased expression of phosphatase and tensin homolog in reactive astrogliosis following intracerebroventricular kainic acid injection in mouse hippocampus, 131
Cho, S.S., see Cho, J., 131
Cobilanschi, J., see Tilgen, N., 68

Di Bartolomeo, S., Spinedi, A., Ordering ceramide-induced cell detachment and apoptosis in human neuroepithelioma, 149
Ding, Y.-q., see Xu, Z., 103
Dixon, C.E., see Wagner, A.K., 165
Dong, Y., see Endo, T., 173
Dose, T., see Schiefer, J., 99
Duan, X.-L., see Xu, Z., 103
Dun, N.J., see Williams, C.A., 53

Ebersberger, A., see Richter, F., 123
Elger, C.E., see Tilgen, N., 68
Endo, T., Nakagawa, T., Lee, J.E., Dong, Y., Kim, T.S., Iguchi, F., Taniguchi, Z., Naito, Y., Ito, J., Alteration in expression of p27 in auditory epithelia and neurons of mice during degeneration, 173
Ezashi, Y., see Yasui, F., 177

Fei, Y., see Rausch, J.L., 91
Ford, B.D., see Parker, M.W., 169
Forth, K.E., see Layne, C.S., 75
Friberg, H., Wieloch, T., Castilho, R.F., Mitochondrial oxidative stress after global brain ischemia in rats, 111
Friederici, A.D., see Herrmann, C.S., 37
Fukushima, Y., Takagi, H., Aoki, K., Developmental difference of neural functions in the song and call control system in Bengalese finches, 140

Ganapathy, V., see Rausch, J.L., 91
Gebrewold, A., see Altura, B.M., 21
Gill, G.S., see Chio, C.L., 49
Gillespie, C.F., see Rausch, J.L., 91

Hallenbeck, J.M., see Parker, M.W., 169
Hayasaka, I., see Inoue-Murayama, M., 206
Heaton, M.B., Paiva, M., Mayer, J., Miller, R., Ethanol-mediated generation of reactive oxygen species in developing rat cerebellum, 83
Hedo, G., Ajubita, M., Lopez-Garcia, J.A., Role of serotonin$_{1A}$ receptors on the modulation of rat spinal mono-synaptic reflexes in vitro, 41
Heiland, S., Sartor, K., Martin, E., Bardenheuer, H.J., Plaschke, K., In vivo monitoring of age-related changes in rat brain using quantitative diffusion magnetic resonance imaging and magnetic resonance relaxometry, 157
Heils, A., see Tilgen, N., 68
Henry, C., see Bellivier, F., 17
Herrmann, C.S., Senkowski, D., Maess, B., Friederici, A.D., Spatial versus object feature processing in human auditory cortex: a magnetoencephalographic study, 37

PII: S0304-3940(02)01268-5

Hess, D., see Hoffman, W.H., 71
Hirabuki, N., see Ukai, S., 9
Hitomi, T., see Matsuo, R., 201
Hobby, H.M., see Rausch, J.L., 91
Hoffman, W.H., Cheng, C., Passmore, G.G., Carroll, J.E., Hess, D., Acetoacetate increases expression of intercellular adhesion molecule-1 (ICAM-1) in human brain microvascular endothelial cells, 71
Honda, Y., see Manabe, S.-i., 33
Hong, H.-N., Yoon, S.-Y., Suh, J., Lee, J.-H., Kim, D., Differential activation of caspase-3 at two maturational stages during okadaic acid-induced rat neuronal death, 63
Horvath, S., see Tilgen, N., 68
Houser, J.J., see Layne, C.S., 75
Hua, F., see Williams, C.A., 53
Huang, Q., Tatro, J.B., α-melanocyte stimulating hormone suppresses intracerebral tumor necrosis factor-α and interleukin-1β gene expression following transient cerebral ischemia in mice, 186

Iguchi, F., see Endo, T., 173
Im, W.B., see Chio, C.L., 49
Inoue-Murayama, M., Adachi, S., Mishima, N., Mitani, H., Takenaka, O., Terao, K., Hayasaka, I., Ito, S., Murayama, Y., Variation of variable number of tandem repeat sequences in the 3′-untranslated region of primate dopamine transporter genes that affects reporter gene expression, 206
Inouye, T., see Ukai, S., 9
Irshad, S., see Budhram-Mahadeo, V., 1
Ishibashi, M., see Yasui, F., 177
Ishii, R., see Ukai, S., 9
Ito, J., see Endo, T., 173
Ito, S., see Inoue-Murayama, M., 206

Jiao, X.-Y., see Xu, Z., 103
Ju, G., see Xu, Z., 103
Jung, S.-C., Shin, H.-C., Suppression of temporary deafferentation-induced plasticity in the primary somatosensory cortex of rats by GABA antagonist, 87

Kajita, T., see Yasui, F., 177
Kanda, Y., see Nishio, M., 145
Kashii, S., see Manabe, S.-i., 33
Katsuki, H., see Manabe, S.-i., 33
Kim, D., see Hong, H.-N., 63
Kim, H.-S., see Cho, J., 131
Kim, M.O., see Li, S.P., 135
Kim, S.-S., see Cho, J., 131
Kim, T.S., see Endo, T., 173
Kinemuchi, H., see Obata, T., 211
Kirino, Y., see Matsuo, R., 201
Kitayama, M., Taguchi, T., Miyata, H., Matsuda, Y., Yamauchi, T., Kogure, S., The extracellular current blocking effect of cesium chloride on the theta wave in the rabbit hippocampal CA1 region, 45
Kline, A.E., see Wagner, A.K., 165
Kogure, S., see Kitayama, M., 45
Kojo, S., see Yasui, F., 177
Korf, H.-W., see Revermann, M., 119
Kosinski, C.M., see Schiefer, J., 99
Krapfenbauer, K., see Yoo, B.C., 196
Kuang, F., see Xu, Z., 103

Labuz, D., Przewlocki, R., Przewlocka, B., Cross-tolerance between the different μ-opioid receptor agonists endomorphin-1, endomorphin-2 and morphine at the spinal level in the rat, 127
Laorden, M.L., see Milanés, M.V., 58
Laplanche, J.-L., see Bellivier, F., 17
Latchman, D.S., see Budhram-Mahadeo, V., 1
Laurent, M., see Chardenon, A., 13
Layne, C.S., Forth, K.E., Baxter, M.F., Houser, J.J., Voluntary neuromuscular activation is enhanced when paired with a mechanical stimulus to human plantar soles, 75
Leboyer, M., see Bellivier, F., 17
Lee, J.E., see Endo, T., 173
Lee, J.-H., see Hong, H.-N., 63
Lee, S.-H., see Cho, J., 131
Leibach, F.H., see Rausch, J.L., 91
Leroux, M., see Bellivier, F., 17
Li, S.P., Park, M.S., Bahk, J.Y., Kim, M.O., Chronic nicotine and smoking exposure decreases $GABA_{B1}$ receptor expression in the rat hippocampus, 135
Logvinenko, A.D., The anchoring effect in lightness perception in humans, 5
Lopez-Garcia, J.A., see Hedo, G., 41
Lozano, G., see Budhram-Mahadeo, V., 1
Lubec, G., see Yoo, B.C., 196

Maess, B., see Herrmann, C.S., 37
Manabe, S.-i., Kashii, S., Honda, Y., Yamamoto, R., Katsuki, H., Akaike, A., Quantification of axotomized ganglion cell death by explant culture of the rat retina, 33
Maronde, E., see Revermann, M., 119
Martin, E., see Heiland, S., 157
Matsuda, Y., see Kitayama, M., 45
Matsugo, S., see Yasui, F., 177
Matsuo, R., Hitomi, T., Watanabe, S., Kirino, Y., Delayed-onset amnesia caused by protein synthesis inhibition in odor-taste associative memory of the terrestrial slug *Limax valentianus*, 201
Mayer, J., see Heaton, M.B., 83
McKay Hart, A., Wiberg, M., Terenghi, G., Pharmacological enhancement of peripheral nerve regeneration in the rat by systemic acetyl-L-carnitine treatment, 181
Menzikov, S., Menzikova, O., Interaction of pentobarbital with gabaergic drugs acting on the Cl^--ATPase activity of the plasma membranes from bream brain (*Abramis brama L.*), 161
Menzikova, O., see Menzikov, S., 161
Milanés, M.V., Laorden, M.L., Angel, E., Tankosic, P., Burlet, A., Effect of naloxone-precipitated morphine withdrawal on CRH and vasopressin mRNA expression in the rat hypothalamic paraventricular nucleus, 58
Miller, R., see Heaton, M.B., 83
Mishima, N., see Inoue-Murayama, M., 206
Mitani, H., see Inoue-Murayama, M., 206
Miyata, H., see Kitayama, M., 45
Mizuno, K., see Nishio, M., 145
Mizuno-Matsumoto, Y., see Ukai, S., 9
Montagne, G., see Chardenon, A., 13
Moon, C., Terashima, S.-i., Response of the infrared receptors of a crotaline snake to ethanol, 29
Morris, P., see Budhram-Mahadeo, V., 1
Murayama, Y., see Inoue-Murayama, M., 206

Naito, Y., see Endo, T., 173
Nakagawa, T., see Endo, T., 173
Ndisang, D., see Budhram-Mahadeo, V., 1

Nishihara, M., see Yonehara, K., 107
Nishio, M., Kanda, Y., Mizuno, K., Watanabe, Y., Methamphetamine increases the hippocampal α_{2A}-adrenergic receptor and $G\alpha_o$ in mice, 145
Noth, J., see Schiefer, J., 99

Obata, T., Kinemuchi, H., Aomine, M., Protective effect of diltiazem, a L-type calcium channel antagonist, on bisphenol A-enhanced hydroxyl radical generation by 1-methyl-4-phenylpyridinium ion in rat striatum, 211
Ogawa, A., see Ukai, S., 9
Oliva, S., see Schiefer, J., 99
Oomura, Y., see Yasui, F., 177

Paiva, M., see Heaton, M.B., 83
Park, M.S., see Li, S.P., 135
Parker, M.W., Chen, Y., Hallenbeck, J.M., Ford, B.D., Neuregulin expression after focal stroke in the rat, 169
Passmore, G.G., see Hoffman, W.H., 71
Pedley, B., see Budhram-Mahadeo, V., 1
Pfeiffer, H., see Tilgen, N., 68
Plaschke, K., see Heiland, S., 157
Platt, B., see White, A.-M., 79
Propping, P., see Tilgen, N., 68
Przewlocka, B., see Labuz, D., 127
Przewlocki, R., see Labuz, D., 127

Rau, B., see Tilgen, N., 68
Rausch, J.L., Gillespie, C.F., Fei, Y., Hobby, H.M., Stoming, T., Ganapathy, V., Leibach, F.H., Antidepressant effects on kinase gene expression patterns in rat brain, 91
Rayah, F., see Bellivier, F., 17
Revermann, M., Maronde, E., Ruth, P., Korf, H.-W., Protein kinase G I immunoreaction is colocalized with arginine-vasopressin immunoreaction in the rat suprachiasmatic nucleus, 119
Reymann, K.G., see Schmidt, W., 153
Richter, F., Ebersberger, A., Schaible, H.-G., Blockade of voltage-gated calcium channels in rat inhibits repetitive cortical spreading depression, 123
Ricketts, B.A., see Williams, C.A., 53
Robinson, S.E., see Ukai, S., 9
Rouillon, F., see Bellivier, F., 17
Ruth, P., see Revermann, M., 119

Sartor, K., see Heiland, S., 157
Sasaki, K., see Yasui, F., 177
Schaible, H.-G., see Richter, F., 123
Schiefer, J., Alberty, A., Dose, T., Oliva, S., Noth, J., Kosinski, C.M., Huntington's disease transgenic mice are resistant to global cerebral ischemia, 99
Schmidt, W., Reymann, K.G., Proliferating cells differentiate into neurons in the hippocampal CA1 region of gerbils after global cerebral ischemia, 153
Senkowski, D., see Herrmann, C.S., 37
Seo, J.H., see Cho, J., 131
Shin, H.-C., see Jung, S.-C., 87
Shinosaki, K., see Ukai, S., 9
Slightom, J.L., see Chio, C.L., 49
Small, D.L., Tauskela, J., Xia, Z., Role for chloride but not potassium channels in apoptosis in primary rat cortical cultures, 95
Sokoloski, J., see Wagner, A.K., 165
Song, D.-K., see Cho, J., 131
Sovka, P., see Svoboda, J., 191
Spinedi, A., see Di Bartolomeo, S., 149
Stancák, A., see Svoboda, J., 191
Stoming, T., see Rausch, J.L., 91
Suh, J., see Hong, H.-N., 63
Suzuki, M., see Yonehara, K., 107
Svoboda, J., Sovka, P., Stancák, A., Intra- and inter-hemispheric coupling of electroencephalographic 8–13 Hz rhythm in humans and force of static finger extension, 191

Taguchi, T., see Kitayama, M., 45
Takagi, H., see Fukushima, Y., 140
Takeda, M., see Ukai, S., 9
Takenaka, O., see Inoue-Murayama, M., 206
Taniguchi, Z., see Endo, T., 173
Tankosic, P., see Milanés, M.V., 58
Tatro, J.B., see Huang, Q., 186
Tauskela, J., see Small, D.L., 95
Terao, K., see Inoue-Murayama, M., 206
Terashima, S.-i., see Moon, C., 29
Terenghi, G., see McKay Hart, A., 181
Tilgen, N., Pfeiffer, H., Cobilanschi, J., Rau, B., Horvath, S., Elger, C.E., Propping, P., Heils, A., Association analysis between the human interleukin 1β (−511) gene polymorphism and susceptibility to febrile convulsions, 68
Toyka, K.V., see Buchwald, B., 25

Ukai, S., Shinosaki, K., Ishii, R., Ogawa, A., Mizuno-Matsumoto, Y., Inouye, T., Hirabuki, N., Yoshimine, T., Robinson, S.E., Takeda, M., Parallel distributed processing neuroimaging in the Stroop task using spatially filtered magnetoencephalography analysis, 9

Valls-Solé, J., see Cervera, A., 115
Veciana, M., see Cervera, A., 115

Wagner, A.K., Kline, A.E., Sokoloski, J., Zafonte, R.D., Capulong, E., Dixon, C.E., Intervention with environmental enrichment after experimental brain trauma enhances cognitive recovery in male but not female rats, 165
Wang, B.-R., see Xu, Z., 103
Wang, X., see Xu, Z., 103
Watanabe, S., see Matsuo, R., 201
Watanabe, Y., see Nishio, M., 145
White, A.-M., Platt, B., Gamma-aminobutyric acid-induced calcium signalling in rat superior collicular neurones, 79
Wiberg, M., see McKay Hart, A., 181
Wieloch, T., see Friberg, H., 111
Williams, C.A., Ricketts, B.A., Hua, F., Dun, N.J., Endomorphin-2 is not released from rat spinal dorsal horn in response to intraplantar formalin, 53

Xia, Z., see Small, D.L., 95
Xu, Z., Wang, B.-R., Ding, Y.-q., Kuang, F., Wang, X., Duan, X.-L., Jiao, X.-Y., Ju, G., Extracellular signal-regulated kinases1/2 in neurons of the dorsal motor nucleus of the vagus nerve and nucleus of the solitary tract are activated by noxious visceral stimulus in mice, 103

Yamamoto, R., see Manabe, S.-i., 33
Yamanouchi, K., see Yonehara, K., 107
Yamauchi, T., see Kitayama, M., 45
Yasui, F., Matsugo, S., Ishibashi, M., Kajita, T., Ezashi, Y., Oomura, Y.,

Kojo, S., Sasaki, K., Effects of chronic acetyl-L-carnitine treatment on brain lipid hydroperoxide level and passive avoidance learning in senescence-accelerated mice, 177
Yim, S.-V., see Cho, J., 131
Yonehara, K., Suzuki, M., Yamanouchi, K., Nishihara, M., Androgen induces p130 mRNA expression in the neonatal rat hypothalamus, 107
Yoo, B.C., Krapfenbauer, K., Cairns, N., Belay, G., Bajo, M., Lubec, G., Overexpressed protein disulfide isomerase in brains of patients with sporadic Creutzfeldt–Jakob disease, 196
Yoon, S.-Y., see Hong, H.-N., 63
Yoshimine, T., see Ukai, S., 9

Zafonte, R.D., see Wagner, A.K., 165